

Database: Ovid MEDLINE(R) ALL <1946 to December 01, 2023>

Search Strategy:

- 1 (chronic adj4 pain*).mp. (93032)
- 2 chronic pain/ (23333)
- 3 exp Osteoarthritis/ (78824)
- 4 osteoarthritis*.mp. (115946)
- 5 osteo-arthritis.mp. (411)
- 6 degenerative arthrit*.mp. (1453)
- 7 exp Arthritis, Rheumatoid/ (127019)
- 8 exp Neuralgia/ (25101)
- 9 Diabetic Neuropathies/ (16451)
- 10 (neuropath* adj5 (pain* or diabet*)).mp. (53489)
- 11 neuralg*.mp. (34161)
- 12 zoster.mp. (24540)
- 13 Irritable Bowel Syndrome/ (9611)
- 14 (IBS or irritable colon or irritable bowel).mp. (20872)
- 15 Migraine Disorders/ (30006)
- 16 migraine.mp. (46501)
- 17 Fibromyalgia/ (10096)
- 18 fibromyalg*.mp. (14410)
- 19 complex regional pain syndromes/ or exp causalgia/ or exp reflex sympathetic dystrophy/ (5998)
- 20 (complex regional pain syndromes or causalgia).mp. (2900)
- 21 Pain, Intractable/ (6397)
- 22 Phantom Limb/ (2093)
- 23 Hyperalgesia/ (14169)
- 24 ((noncancer* or non-cancer* or chronic* or recurrent or persist* or non-malign*) adj3 pain).mp. (24076)
- 25 or/1-24 (515768)
- 26 exp back pain/ or exp failed back surgery syndrome/ or exp low back pain/ (45589)
- 27 Radiculopathy/ or radiculopathy.mp. (11011)
- 28 musculoskeletal pain/ or headache/ (36564)
- 29 exp Arthralgia/ (15939)
- 30 exp Headache Disorders/ (40653)
- 31 headache*.mp. (114722)
- 32 Temporomandibular Joint Dysfunction Syndrome/ (4952)
- 33 ((TMJ or TMJD) and pain*).mp. (3437)
- 34 whiplash.mp. or exp whiplash injury/ (4257)
- 35 exp Cumulative Trauma Disorders/ (15388)
- 36 exp Peripheral Nervous System Diseases/dt [Drug Therapy] (17903)
- 37 Pain Measurement/de [Drug Effects] (6912)
- 38 (backache* or backpain* or dorsalg* or arthralgi* or polyarthralgi* or arthrodyni* or myalgi* or fibromyalgi* or myodyn* or neuralgi* or ischialgi* or crps or rachialgi*).ab,ti. (56551)
- 39 ((back or discogen* or bone or musculoskelet* or muscle* or skelet* or spinal or spine or vertebra* or joint* or arthritis or Intestin* or neuropath* or neck or cervical* or head or facial* or complex or radicular or cervicobrach* or orofacial or somatic or shoulder* or knee* or hip or hips) adj3 pain).mp. (213904)
- 40 ((medication* or opioid* or opiate* or narcotic*) and pain).mp. (104393)
- 41 or/26-40 (499198)
- 42 (acute or emergency or preoperative or postoperative).ti,ab. (2428451)
- 43 41 not 42 (398554)
- 44 25 or 43 (766670)
- 45 exp Analgesics, Opioid/ (137935)
- 46 (opioid* or opiate*).mp. (164310)
- 47 (alfentanil or alphaprodine or beta-casomorphin\$ or buprenorphine or carfentanil or codeine or deltorphin or dextromethorphan or dezocine or dihydrocodeine or dihydromorphine or

enkephalin\$ or ethylketocyclazocine or ethylmorphine or etorphine or fentanyl or heroin or hydrocodone or hydromorphone or ketobemidone or levorphanol or lofentanil or meperidine or meptazinol or methadone or methadyl acetate or morphine or nalbuphine or opium or oxycodone or oxymorphone or pentazocine or phenazocine or phenoperidine or piritramide or promedol or propoxyphene or remifentanyl or sufentanyl or tilidine or tapentadol).mp. (173481)

48 or/45-47 (259991)

49 exp Narcotics/ (146194)

50 narcotic*.mp. (66149)

51 (adolonta or Anpec or Ardinex or Asimadoline or Alvimopam or amadol or biodalgic or biokanol or Codinovo or contramal or Demerol or Dicodid or Dihydrocodeinone or dihydromorphinone or dihydrohydroxycodone or dihydrone or dilaudid or dinarkon or dolsinor dolosal or dolin or dolantin or dolargan or dolcontral or duramorph or duromorph or duragesic or durogesic or eucodal or Fedotzine or Fentanest or Fentora or Fortral or Hycodan or Hycon or Hydrocodone or Hydrocodeinonebitartrate or hydromorphon or hydroxycodone or isocodeine or isonipocain or jutadol or laudacon or l dromoran or levodroman or levorphan or levodromoran or levodromoran or lexir or lidol or lydol or morfin or morfine or morphia or morphin or morphinium or morphinene or morphium or ms contin or n-methylmorphine or n methylmorphine or nobligan or numorphan or oramorph or oxycodone or oxiconum or oxycone or oxycontin or palladone or pancodine or pethidine or phentanyl or prontofort or robidone or skenan or sublimaze or sulfentanyl or sulfentanyl or sufenta or takadol or talwin or theocodin or tramadol or tramadolhameln or tramadol or tramadura or tramagetic or tramagit or tramake or tramal or tramex or tramundin or trasedal or theradol or tiral or topalgic or tradolor tradolpuren or tradonal or tralgiol or tramadorsch or tramadin or tramadoc or ultram or zamudol or zumalgic or zydol or zytram).mp. (12791)

52 or/48-51 (292541)

53 exp Prescription Drug Misuse/ (17535)

54 exp opioid-related disorders/ (34845)

55 "Drug and Narcotic Control"/ (9077)

56 substance abuse detection/ (10484)

57 Drug Utilization/sn (6829)

58 Inappropriate Prescribing/sn (1536)

59 or/53-58 (74034)

60 Drug-Seeking Behavior/ (1672)

61 Behavior, Addictive/ (12772)

62 Substance Withdrawal Syndrome/ (22786)

63 Poisoning/ (22981)

64 "Drug-Related Side Effects and Adverse Reactions"/ (38815)

65 accidents/ or accidental falls/ or accidents, traffic/ (92781)

66 substance-related disorders/ (106654)

67 Opioid-Related Disorders/ (22295)

68 or/60-67 (306759)

69 (Opioid* or opiate* or narcotic* or analges* or prescription*).mp. (466249)

70 68 and 69 (47287)

71 ((Opioid* or opiate* or narcotic* or analges* or prescription*) adj3 (abuse or addict* or misuse or overdose or poison* or diversion or aberrant or monitoring or mortality or death or suicide or coroner or (prob* adj2 "drug use"))).mp. (22370)

72 (behav* adj3 (nonmedical or nontherapeutic or abberant)).mp. (35)

73 59 or 70 or 71 or 72 (100817)

74 (systematic review or meta-analysis).pt. (330737)

75 meta-analysis/ or systematic review/ or systematic reviews as topic/ or meta-analysis as topic/ or "meta analysis (topic)"/ or "systematic review (topic)"/ or exp technology assessment, biomedical/ or network meta-analysis/ (371185)

76 ((systematic* adj3 (review* or overview*)) or (methodologic* adj3 (review* or overview*))).ti,ab,kf. (341354)

77 ((quantitative adj3 (review* or overview* or syntheses*)) or (research adj3 (integrati* or overview*))).ti,ab,kf. (16453)

78 ((integrative adj3 (review* or overview*)) or (collaborative adj3 (review* or overview*)) or (pool* adj3 analy*)).ti,ab,kf. (40621)
79 (data synthes* or data extraction* or data abstraction*).ti,ab,kf. (42721)
80 (handsearch* or hand search*).ti,ab,kf. (11365)
81 (mantel haenszel or peto or der simonian or dersimonian or fixed effect* or latin square*).ti,ab,kf. (36981)
82 (met analy* or metanaly* or technology assessment* or HTA or HTAs or technology overview* or technology appraisal*).ti,ab,kf. (12592)
83 (meta regression* or metaregression*).ti,ab,kf. (15387)
84 (meta-analy* or metaanaly* or systematic review* or biomedical technology assessment* or bio-medical technology assessment*).mp,hw. (492245)
85 (medline or cochrane or pubmed or medlars or embase or cinahl).ti,ab,hw. (360839)
86 (cochrane or (health adj2 technology assessment) or evidence report).jw. (21749)
87 (comparative adj3 (efficacy or effectiveness)).ti,ab,kf. (18229)
88 (outcomes research or relative effectiveness).ti,ab,kf. (11491)
89 ((indirect or indirect treatment or mixed-treatment or bayesian) adj3 comparison*).ti,ab,kf. (4473)
90 [(meta-analysis or systematic review).md.] (0)
91 (multi* adj3 treatment adj3 comparison*).ti,ab,kf. (302)
92 (mixed adj3 treatment adj3 (meta-analy* or metaanaly*)).ti,ab,kf. (179)
93 umbrella review*.ti,ab,kf. (1703)
94 (multi* adj2 paramet* adj2 evidence adj2 synthesis).ti,ab,kf. (14)
95 (multiparamet* adj2 evidence adj2 synthesis).ti,ab,kf. (18)
96 (multi-paramet* adj2 evidence adj2 synthesis).ti,ab,kf. (12)
97 or/74-96 (717028)
98 exp clinical pathway/ (7900)
99 exp clinical protocol/ (191617)
100 clinical protocols/ (29993)
101 exp consensus/ (21732)
102 exp consensus development conference/ (12679)
103 exp consensus development conferences as topic/ (3000)
104 critical pathways/ (7900)
105 exp guideline/ (38018)
106 guidelines as topic/ (42096)
107 exp practice guideline/ (30915)
108 practice guidelines as topic/ (127749)
109 health planning guidelines/ (4165)
110 Clinical Decision Rules/ (938)
111 (guideline or practice guideline or consensus development conference or consensus development conference, NIH).pt. (47934)
112 (position statement* or policy statement* or practice parameter* or best practice*).ti,ab,kf. (48329)
113 (standards or guideline or guidelines).ti,kf. (139384)
114 ((practice or treatment* or clinical) adj guideline*).ab. (54866)
115 (CPG or CPGs).ti. (6521)
116 consensus*.ti,kf. (36289)
117 consensus*.ab. /freq=2 (35700)
118 ((critical or clinical or practice) adj2 (path or paths or pathway or pathways or protocol*)).ti,ab,kf. (27630)
119 recommendat*.ti,kf. or guideline recommendation*.ab. (60569)
120 (care adj2 (standard or path or paths or pathway or pathways or map or maps or plan or plans)).ti,ab,kf. (87591)
121 (algorithm* adj2 (screening or examination or test or tested or testing or assessment* or diagnosis or diagnoses or diagnosed or diagnosing)).ti,ab,kf. (10561)
122 (algorithm* adj2 (pharmacotherap* or chemotherap* or chemotreatment* or therap* or treatment* or intervention*)).ti,ab,kf. (13308)

- 123** (guideline* or standards or consensus* or recommendat*).au. (9)
124 [(guideline* or standards or consensus* or recommendat*).co.] (0)
125 (guideline* or standards or consensus* or recommendat*).ca. (1787)
126 or/98-125 (767810)
127 Epidemiologic Methods/ (31621)
128 exp Epidemiologic Studies/ (3207699)
129 Observational Studies as Topic/ (9221)
130 Clinical Studies as Topic/ (808)
131 single-case studies as topic/ (99)
132 (Observational Study or Validation Studies or Clinical Study).pt. (155091)
133 (observational adj3 (study or studies or design or analysis or analyses)).ti,ab,kf. (232201)
134 cohort*.ti,ab,kf. (899755)
135 (prospective adj7 (study or studies or design or analysis or analyses)).ti,ab,kf. (549150)
136 ((follow up or followup) adj7 (study or studies or design or analysis or analyses)).ti,ab,kf. (174469)
137 ((longitudinal or longterm or (long adj term)) adj7 (study or studies or design or analysis or analyses or data)).ti,ab,kf. (358134)
138 (retrospective adj7 (study or studies or design or analysis or analyses or data or review)).ti,ab,kf. (712286)
139 ((case adj control) or (case adj comparison) or (case adj controlled)).ti,ab,kf. (163850)
140 (case-referent adj3 (study or studies or design or analysis or analyses)).ti,ab,kf. (640)
141 (population adj3 (study or studies or analysis or analyses)).ti,ab,kf. (240917)
142 (descriptive adj3 (study or studies or design or analysis or analyses)).ti,ab,kf. (114701)
143 ((multidimensional or (multi adj dimensional)) adj3 (study or studies or design or analysis or analyses)).ti,ab,kf. (5122)
144 (cross adj sectional adj7 (study or studies or design or research or analysis or analyses or survey or findings)).ti,ab,kf. (459167)
145 ((natural adj experiment) or (natural adj experiments)).ti,ab,kf. (3486)
146 (quasi adj (experiment or experiments or experimental)).ti,ab,kf. (21492)
147 ((non experiment or nonexperiment or non experimental or nonexperimental) adj3 (study or studies or design or analysis or analyses)).ti,ab,kf. (1767)
148 (prevalence adj3 (study or studies or analysis or analyses)).ti,ab,kf. (51330)
149 case series.ti,ab,kf. (107531)
150 case reports.pt. (2371901)
151 (case adj3 (report or reports or study or studies or histories)).ti,ab,kf. (1008315)
152 organizational case studies/ (12632)
153 or/127-152 (6971834)
154 97 or 126 or 153 (7997619)
155 44 and 52 and 73 and 154 (4055)
156 animals/ not humans/ (5141479)
157 exp Animals, Laboratory/ (954586)
158 exp Animal Experimentation/ (10386)
159 exp Models, Animal/ (644769)
160 exp Rodentia/ (3572534)
161 (rat or rats or mouse or mice).ti. (1453167)
162 or/156-161 (6221644)
163 155 not 162 (4037)

Database: Embase Classic+Embase <1947 to 2023 December 04>

Search Strategy:

- 1 (chronic adj4 pain*).mp. (151774)
- 2 chronic pain/ (78996)
- 3 exp osteoarthritis/ (173159)
- 4 osteoarthrit*.mp. (192910)
- 5 osteo-arthritis.mp. (877)
- 6 degenerative arthrit*.mp. (2041)
- 7 exp rheumatoid arthritis/ (265081)
- 8 exp neuralgia/ (136598)
- 9 diabetic neuropathy/ (30240)
- 10 (neuropath* adj5 (pain* or diabet*)).mp. (97389)
- 11 neuralg*.mp. (41783)
- 12 zoster.mp. (50997)
- 13 irritable colon/ (33167)
- 14 (Irritable Bowel Syndrome or IBS).mp. (31966)
- 15 exp migraine/ (82886)
- 16 migraine.mp. (91240)
- 17 fibromyalgia/ (26048)
- 18 fibromyalg*.mp. (28157)
- 19 reflex sympathetic dystrophy.mp. (2479)
- 20 (complex regional pain syndromes or causalgia).mp. (1878)
- 21 intractable pain/ (6097)
- 22 phantom limb.mp. or agnosia/ or phantom pain/ or amputation stump/ (14627)
- 23 hyperalgesia/ (22127)
- 24 ((noncancer* or non-cancer* or chronic* or recurrent or persist* or non-malign*) adj3 pain).mp. (36755)
- 25 or/1-24 (967816)
- 26 exp backache/ (142653)
- 27 radiculopathy.mp. or exp radiculopathy/ (51630)
- 28 musculoskeletal pain/ (15581)
- 29 exp arthralgia/ (81921)
- 30 headache/ (290688)
- 31 headache*.mp. (365781)
- 32 temporomandibular joint disorder/ (16624)
- 33 ((TMJ or TMJD) and pain*).mp. (4675)
- 34 whiplash.mp. or whiplash injury/ (5964)
- 35 exp cumulative trauma disorder/ (26305)
- 36 ((medication* or opioid* or opiate* or narcotic*) and pain).mp. (188237)
- 37 or/26-36 (795460)
- 38 (acute or emergency or preoperative or postoperative).ti,ab. (3536166)
- 39 37 not 38 (634121)
- 40 25 or 39 (1423368)
- 41 exp Narcotics/ (340588)
- 42 (opioid* or opiate*).mp. (251497)
- 43 (alfentanil or alphaprodine or beta-casomorphin\$ or buprenorphine or carfentanil or codeine or deltorphin or dextromethorphan or dezocine or dihydrocodeine or dihydromorphine or enkephalin\$ or ethylketocyclazocine or ethylmorphine or etorphine or fentanyl or heroin or hydrocodone or hydromorphone or ketobemidone or levorphanol or lofentanil or meperidine or meptazinol or methadone or methadyl acetate or morphine or nalbuphine or opium or oxycodone or oxymorphone or pentazocine or phenazocine or phenoperidine or piritramide or promedol or propoxyphene or remifentanil or sufentanil or tilidine or tapentadol).mp. (360245)
- 44 (adolonta or Anpec or Ardinex or Asimadoline or Alvimopam or amadol or biodalgic or biokanol or Codinovo or contramal or Demerol or Dicodid or Dihydrocodeinone or dihydromorphinone or dihydrohydroxycodone or dihydrone or dilaudid or dinarkon or dolsinor dolosal or dolin or dolantin or dolargan or dolcontral or duramorph or duromorph or duragesic or

durogesic or eucodal or Fedotzine or Fentanest or Fentora or Fortral or Hycodan or Hycon or Hydrocodone or Hydrocodeinonebitartrate or hydromorphon or hydroxycodone or isocodeine or isonipecain or jutadol or laudacon or l dromoran or levodroman or levorphan or levo-dromoran or levodromoran or lexi or lidol or lydol or morfin or morfine or morphia or morphin or morphinium or morphinene or morphium or ms contin or n-methylmorphine or n methylmorphine or nobligan or numorphan or oramorph or oxycodone or oxiconum or oxycone or oxycontin or palladone or pancodine or pethidine or phentanyl or prontosfort or robidone or skenan or sublimaze or sulfentanyl or sulfentanil or sufenta or takadol or talwin or theocodin or tramadol or tramadolhameln or tramadol or tramadura or tramagetic or tramagit or tramake or tramal or tramex or tramundin or trasedal or theradol or tiral or topalgic or tradol or tradolpuren or tradonal or tralgol or tramadorsch or tramadin or tramadoc or ultram or zamudol or zumalgic or zydol or zytram).mp. (67876)

45 or/41-44 (532015)

46 opiate addiction/ (29938)

47 narcotic dependence/ or morphine addiction/ (5585)

48 prescription drug diversion/ (437)

49 or/46-48 (35369)

50 drug abuse/ or analgesic agent abuse/ or drug misuse/ (65057)

51 drug control/ (13429)

52 drug monitoring/ (60408)

53 substance abuse/ (59023)

54 drug urine level/ (34158)

55 drug dose regimen/ (39468)

56 drug overdose/ (36569)

57 drug seeking behavior/ (3297)

58 drug dependence/ (73643)

59 addiction/ (59550)

60 drug withdrawal/ (261074)

61 withdrawal syndrome/ (33200)

62 intoxication/ (214530)

63 accident/ or falling/ or home accident/ or traffic accident/ (166102)

64 suicide/ or suicidal behavior/ or suicide attempt/ (116096)

65 or/50-64 (1114937)

66 (Opioid* or opiate* or narcotic* or analges* or prescription*).ti,ab. (566594)

67 65 and 66 (69127)

68 ((Opioid* or opiate* or narcotic* or analges* or prescription*) adj3 (abuse or addict* or misuse or overdose or poison* or diversion or aberrant or monitoring or mortality or death or suicide or coroner or (prob* adj2 "drug use"))).mp. (53252)

69 49 or 67 or 68 (103333)

70 observational study/ (347692)

71 cohort analysis/ (1083664)

72 longitudinal study/ (202530)

73 follow up/ (2152545)

74 retrospective study/ (1534024)

75 exp case control study/ (228667)

76 cross-sectional study/ (597497)

77 quasi experimental study/ (11862)

78 prospective study/ (898046)

79 (observational adj3 (study or studies or design or analysis or analyses)).ti,ab,kf. (360773)

80 cohort*.ti,ab,kf. (1513293)

81 (prospective adj7 (study or studies or design or analysis or analyses)).ti,ab,kf. (833307)

82 ((follow up or followup) adj7 (study or studies or design or analysis or analyses)).ti,ab,kf. (282948)

83 ((longitudinal or longterm or (long adj term)) adj7 (study or studies or design or analysis or analyses or data)).ti,ab,kf. (510685)

84 (retrospective adj7 (study or studies or design or analysis or analyses or data or

review)).ti,ab,kf. (1185583)

85 ((case adj control) or (case adj comparison) or (case adj controlled)).ti,ab,kf. (217324)

86 (case-referent adj3 (study or studies or design or analysis or analyses)).ti,ab,kf. (708)

87 (population adj3 (study or studies or analysis or analyses)).ti,ab,kf. (362670)

88 (descriptive adj3 (study or studies or design or analysis or analyses)).ti,ab,kf. (173962)

89 ((multidimensional or (multi adj dimensional)) adj3 (study or studies or design or analysis or analyses)).ti,ab,kf. (6024)

90 (cross adj sectional adj7 (study or studies or design or research or analysis or analyses or survey or findings)).ti,ab,kf. (599142)

91 ((natural adj experiment) or (natural adj experiments)).ti,ab,kf. (3762)

92 (quasi adj (experiment or experiments or experimental)).ti,ab,kf. (26343)

93 ((non experiment or nonexperiment or non experimental or nonexperimental) adj3 (study or studies or design or analysis or analyses)).ti,ab,kf. (2428)

94 (prevalence adj3 (study or studies or analysis or analyses)).ti,ab,kf. (74395)

95 case series.ti,ab,kf. (152494)

96 case study/ (107472)

97 case report/ (3046667)

98 (case adj3 (report or reports or study or studies or histories)).ti,ab,kf. (1343889)

99 or/70-98 (9622141)

100 (systematic review or meta-analysis).pt. (0)

101 meta-analysis/ or systematic review/ or systematic reviews as topic/ or metaanalysis as topic/ or "meta analysis (topic)"/ or "systematic review (topic)"/ or exp technology assessment, biomedical/ or network meta-analysis/ (648059)

102 ((systematic* adj3 (review* or overview*)) or (methodologic* adj3 (review* or overview*))).ti,ab,kf. (414275)

103 ((quantitative adj3 (review* or overview* or synthes*)) or (research adj3 (integrati* or overview*))).ti,ab,kf. (19141)

104 ((integrative adj3 (review* or overview*)) or (collaborative adj3 (review* or overview*)) or (pool* adj3 analy*)).ti,ab,kf. (57191)

105 (data synthes* or data extraction* or data abstraction*).ti,ab,kf. (51911)

106 (handsearch* or hand search*).ti,ab,kf. (13843)

107 (mantel haenszel or peto or der simonian or dersimonian or fixed effect* or latin square*).ti,ab,kf. (49009)

108 (met analy* or metanaly* or technology assessment* or HTA or HTAs or technology overview* or technology appraisal*).ti,ab,kf. (20928)

109 (meta regression* or metaregression*).ti,ab,kf. (18858)

110 (meta-analy* or metaanaly* or systematic review* or biomedical technology assessment* or bio-medical technology assessment*).mp,hw. (768918)

111 (medline or cochrane or pubmed or medlars or embase or cinahl).ti,ab,hw. (468940)

112 (cochrane or (health adj2 technology assessment) or evidence report).jw. (31441)

113 (comparative adj3 (efficacy or effectiveness)).ti,ab,kf. (27037)

114 (outcomes research or relative effectiveness).ti,ab,kf. (16854)

115 ((indirect or indirect treatment or mixed-treatment or bayesian) adj3 comparison*).ti,ab,kf. (7778)

116 (meta-analysis or systematic review).mp. (727471)

117 (multi* adj3 treatment adj3 comparison*).ti,ab,kf. (434)

118 (mixed adj3 treatment adj3 (meta-analy* or metaanaly*)).ti,ab,kf. (260)

119 umbrella review*.ti,ab,kf. (1815)

120 (multi* adj2 paramet* adj2 evidence adj2 synthesis).ti,ab,kf. (32)

121 (multiparamet* adj2 evidence adj2 synthesis).ti,ab,kf. (21)

122 (multi-paramet* adj2 evidence adj2 synthesis).ti,ab,kf. (27)

123 or/100-122 (1031016)

124 exp clinical pathway/ (10070)

125 exp clinical protocol/ (123229)

126 clinical protocols/ (114356)

127 exp consensus/ (103856)

- 128 exp consensus development conference/ (28177)
- 129 exp consensus development conferences as topic/ (28177)
- 130 critical pathways/ (10070)
- 131 guideline*.mp. (1012657)
- 132 guidelines as topic/ (524610)
- 133 exp practice guideline/ (728265)
- 134 practice guidelines as topic/ (457555)
- 135 health planning guidelines/ (111351)
- 136 treatment guideline*.mp. (24350)
- 137 Clinical Decision Rules/ (730)
- 138 (guideline or practice guideline or consensus development conference or consensus development conference, NIH).pt. (0)
- 139 (position statement* or policy statement* or practice parameter* or best practice*).ti,ab,kf. (69219)
- 140 (standards or guideline or guidelines).ti,kf. (192836)
- 141 ((practice or treatment* or clinical) adj guideline*).ab. (83665)
- 142 (CPG or CPGs).ti. (7850)
- 143 consensus*.ti,kf. (45419)
- 144 consensus*.ab. /freq=2 (47503)
- 145 ((critical or clinical or practice) adj2 (path or paths or pathway or pathways or protocol*).ti,ab,kf. (42540)
- 146 recommendat*.ti,kf. or guideline recommendation*.ab. (78535)
- 147 (care adj2 (standard or path or paths or pathway or pathways or map or maps or plan or plans)).ti,ab,kf. (156525)
- 148 (algorithm* adj2 (screening or examination or test or tested or testing or assessment* or diagnosis or diagnoses or diagnosed or diagnosing)).ti,ab,kf. (14907)
- 149 (algorithm* adj2 (pharmacotherap* or chemotherap* or chemotreatment* or therap* or treatment* or intervention*).ti,ab,kf. (20101)
- 150 (guideline* or standards or consensus* or recommendat*).au. (27)
- 151 (guideline* or standards or consensus* or recommendat*).co. (2232)
- 152 (guideline* or standards or consensus* or recommendat*).ca. (0)
- 153 or/124-152 (1674693)
- 154 99 or 123 or 153 (11344646)
- 155 40 and 45 and 69 and 154 (10441)
- 156 animals/ not humans/ (1501639)
- 157 nonhuman/ (7541987)
- 158 exp Animal Experiment/ (3122330)
- 159 exp Experimental Animal/ (865991)
- 160 exp Rodent/ (4525323)
- 161 (rat or rats or mouse or mice).ti. (1826177)
- 162 or/156-161 (10337174)
- 163 155 not 162 (9855)
- 164 limit 163 to human (9670)

Database: APA PsycInfo <1806 to November Week 3 2023>

Search Strategy:

- 1 (chronic adj4 pain*).mp. (27725)
- 2 chronic pain/ (16338)
- 3 exp arthritis/ (4838)
- 4 osteoarthritis*.mp. (2631)
- 5 osteo-arthritis.mp. (8)
- 6 degenerative arthritis*.mp. (16)
- 7 exp neuralgia/ (1052)
- 8 exp neuralgia/ (1052)
- 9 exp neuropathy/ (6992)
- 10 (neuropath* adj5 (pain* or diabet*)).mp. (8190)
- 11 neuralg*.mp. (3827)
- 12 zoster.mp. (691)
- 13 irritable bowel syndrome/ (1357)
- 14 (IBS or irritable colon or irritable bowel).mp. (2402)
- 15 migraine headache/ (10115)
- 16 migraine.mp. (13864)
- 17 fibromyalgia/ (2413)
- 18 fibromyalg*.mp. (4012)
- 19 complex regional pain syndromes.mp. (351)
- 20 "complex regional pain syndrome (type i)"/ (202)
- 21 (complex regional pain syndromes or causalgia).mp. (442)
- 22 somatosensory disorders/ (1685)
- 23 hyperalgesi*.mp. (5970)
- 24 somatoform pain disorder/ (886)
- 25 somatoform disorders/ (8155)
- 26 conversion disorder/ (1219)
- 27 ((noncancer* or non-cancer* or chronic* or recurrent or persist* or non-malign*) adj3 pain).mp. (4003)
- 28 or/1-27 (74481)
- 29 back pain.mp. or exp Back Pain/ (7457)
- 30 radiculopathy.mp. (377)
- 31 musculoskeletal pain.mp. (2251)
- 32 Arthralgia.mp. (369)
- 33 headache.mp. or exp HEADACHE/ (22576)
- 34 ((TMJ or TMJD) and pain*).mp. (167)
- 35 WHIPLASH/ or whiplash.mp. (706)
- 36 (backache* or backpain* or dorsalg* or arthralgi* or polyarthralgi* or arthrodyni* or myalgi* or fibromyalgi* or myodyn* or neuralgi* or ischialgi* or crps or rachialgi*).ab,ti. (6980)
- 37 ((back or discogen* or bone or musculoskelet* or muscle* or skelet* or spinal or spine or vertebra* or joint* or arthritis or Intestin* or neuropath* or neck or cervical* or head or facial* or complex or radicular or cervicobrach* or orofacial or somatic or shoulder* or knee* or hip or hips) adj3 pain).mp. (24615)
- 38 ((medication* or opioid* or opiate* or narcotic*) and pain).mp. (18642)
- 39 or/29-38 (64464)
- 40 (acute or emergency or preoperative or postoperative).ti,ab. (145776)
- 41 39 not 40 (55989)
- 42 28 or 41 (98079)
- 43 exp opiates/ (28774)
- 44 (opioid* or opiate*).mp. (41951)
- 45 (alfentanil or alphaprodine or beta-casomorphin\$ or buprenorphine or carfentanil or codeine or deltorphin or dextromethorphan or dezocine or dihydrocodeine or dihydromorphine or enkephalin\$ or ethylketocyclazocine or ethylmorphine or etorphine or fentanyl or heroin or hydrocodone or hydromorphone or ketobemidone or levorphanol or lofentanil or meperidine or meptazinol or methadone or methadyl acetate or morphine or nalbuphine or opium or oxycodone

or oxymorphone or pentazocine or phenazocine or phenoperidine or piritramide or promedol or propoxyphene or remifentanyl or sufentanyl or tilidine or tapentadol).mp. (35680)

46 exp narcotic drugs/ (35830)

47 narcotic*.mp. (14414)

48 (adolonta or Anpec or Ardinex or Asimadoline or Alvimopam or amadol or biodalgic or biokanol or Codinovo or contramal or Demerol or Dicodid or Dihydrocodeinone or dihydromorphinone or dihydrohydroxycodone or dihydrone or dilaudid or dinarkon or dolsinor dolosal or dolin or dolantin or dolargan or dolcontral or duramorph or duromorph or duragesic or durogesic or eucodal or Fedotzine or Fentanest or Fentora or Fortral or Hycodan or Hycon or Hydrocodone or Hydrocodeinonebitartrate or hydromorphon or hydroxycodone or iscodeine or isonipeccain or jutadol or laudacon or l dromoran or levodroman or levorphan or levodromoran or levodromoran or lexi or lidol or lydol or morfin or morfina or morphia or morphin or morphinium or morphinene or morphium or ms contin or n-methylmorphine or n methylmorphine or nobligan or numorphan or oramorph or oxycodone or oxiconum or oxycone or oxycontin or palladone or pancodine or pethidine or phentanyl or prontosfort or robidone or skenan or sublimaze or sulfentanyl or sufentanyl or sufenta or takada or talwin or theocodin or tramadol or tramadolhameln or tramadol or tramadol or tramagetic or tramagit or tramake or tramal or tramex or tramundin or trasedal or theradol or tiral or topalgic or tradol or tradolpuren or tradonal or tralgol or tramadorsch or tramadin or tramadoc or ultram or zamudol or zumalgic or zydol or zytram).mp. [mp=title, abstract, heading word, table of contents, key concepts, original title, tests & measures, mesh word] (1245)

49 43 or 44 or 45 or 46 or 47 or 48 (63159)

50 drug dependency/ (13451)

51 drug abuse/ (50041)

52 drug rehabilitation/ (23532)

53 "substance use disorder"/ (11806)

54 self-medication/ (816)

55 prescription drugs/ (6652)

56 drug overdoses/ (2914)

57 exp drug addiction/ (21645)

58 drug seeking/ (1234)

59 addiction/ (13499)

60 drug withdrawal/ (6296)

61 toxic disorders/ (1776)

62 "side effects (drug)"/ (27496)

63 drug tolerance/ (4828)

64 exp accidents/ (16131)

65 exp "death and dying"/ (48022)

66 suicide/ or self-destructive behavior/ or attempted suicide/ or selfinjurious behavior/ or suicidal ideation/ or suicide prevention/ (55957)

67 or/50-66 (254115)

68 (Opioid* or opiate* or narcotic* or analges* or prescription*).mp. [mp=title, abstract, heading word, table of contents, key concepts, original title, tests & measures, mesh word] (83318)

69 67 and 68 (29672)

70 ((Opioid* or opiate* or narcotic* or analges* or prescription*) adj3 (abuse or addict* or misuse or overdose or poison* or diversion or aberrant or monitoring or mortality or death or suicide or coroner or (prob* adj2 "drug use"))).mp. [mp=title, abstract, heading word, table of contents, key concepts, original title, tests & measures, mesh word] (10296)

71 69 or 70 (32412)

72 cohort analysis/ (1710)

73 longitudinal studies/ (16120)

74 prospective studies/ (1328)

75 retrospective studies/ (962)

76 followup studies/ (12398)

77 quasi experimental methods/ (517)

78 (observational adj3 (study or studies or design or analysis or analyses)).ti,ab. (19641)

- 79 cohort*.ti,ab. (100714)
- 80 (prospective adj7 (study or studies or design or analysis or analyses)).ti,ab. (47259)
- 81 ((follow up or followup) adj7 (study or studies or design or analysis or analyses)).ti,ab. (33640)
- 82 ((longitudinal or longterm or (long adj term)) adj7 (study or studies or design or analysis or analyses or data)).mp. [mp=title, abstract, heading word, table of contents, key concepts, original title, tests & measures, mesh word] (157833)
- 83 (retrospective adj7 (study or studies or design or analysis or analyses or data or review)).ti,ab. (32150)
- 84 ((case adj control) or (case adj comparison) or (case adj controlled)).ti,ab. (13631)
- 85 (case-referent adj3 (study or studies or design or analysis or analyses)).ti,ab. (20)
- 86 (population adj3 (study or studies or analysis or analyses)).ti,ab. (34360)
- 87 (descriptive adj3 (study or studies or design or analysis or analyses)).ti,ab. (34700)
- 88 ((multidimensional or (multi adj dimensional)) adj3 (study or studies or design or analysis or analyses)).ti,ab. (3214)
- 89 (cross adj sectional adj7 (study or studies or design or research or analysis or analyses or survey or findings)).mp. [mp=title, abstract, heading word, table of contents, key concepts, original title, tests & measures, mesh word] (128326)
- 90 ((natural adj experiment) or (natural adj experiments)).ti,ab. (1636)
- 91 (quasi adj (experiment or experiments or experimental)).ti,ab. (16360)
- 92 ((non experiment or nonexperiment or non experimental or nonexperimental) adj3 (study or studies or design or analysis)).mp. [mp=title, abstract, heading word, table of contents, key concepts, original title, tests & measures, mesh word] (3277)
- 93 (prevalence adj3 (study or studies or analysis or analyses)).ti,ab. (9976)
- 94 case series.ti,ab. (5021)
- 95 (case adj3 (report or reports or study or studies or histories)).ti,ab. (170930)
- 96 case report/ (23389)
- 97 or/72-96 (678309)
- 98 exp "Systematic Review"/ or exp Meta Analysis/ (6099)
- 99 meta-analysis/ or systematic review/ or systematic reviews as topic/ or meta-analysis as topic/ or "meta-analysis".mp. [mp=title, abstract, heading word, table of contents, key concepts, original title, tests & measures, mesh word] (44564)
- 100 ((systematic* adj3 (review* or overview*)) or (methodologic* adj3 (review* or overview*))).mp. [mp=title, abstract, heading word, table of contents, key concepts, original title, tests & measures, mesh word] (58574)
- 101 ((quantitative adj3 (review* or overview* or syntheses*)) or (research adj3 (integrati* or overview*))).mp. (11883)
- 102 (((integrative adj3 (review* or overview*)) or (collaborative adj3 (review* or overview*)) or (pool* adj3 analy*))(0)
- 103 (data syntheses* or data extraction* or data abstraction*).mp. (4075)
- 104 (handsearch* or hand search*).mp. (1615)
- 105 (mantel haenszel or peto or der simonian or fixed effect* or latin square*).mp. (6581)
- 106 (met analy* or metanaly* or technology assessment* or HTA or HTAs or technology overview* or technology appraisal).mp. (1372)
- 107 (meta regression* or metaregression*).mp. (2806)
- 108 (meta-analy* or metaanaly* or systematic review* or biomedical technology assessment* or bio-medical technology appraisal).mp. (87003)
- 109 (medline or cochrane or pubmed or medlars or embase or cinahl).ti,ab,hw. (37887)
- 110 (cochrane or (health adj2 technology assessment) or evidence report).jw. (0)
- 111 (comparative adj3 (efficacy or effectiveness)).mp. (2649)
- 112 (outcomes research or relative effectiveness).mp. (4177)
- 113 ((indirect or indirect treatment or mixed-treatment or bayesian) adj3 comparison*).mp. (558)
- 114 (meta-analysis or systematic review).md. (68171)
- 115 (multi* adj3 treatment adj3 comparison*).mp. (60)
- 116 (mixed adj3 treatment adj3 (meta-analy* or metaanaly*)).mp. (19)
- 117 umbrella review*.mp. (314)

- 118 (multi* adj2 paramet* adj2 evidence adj2 synthesis).mp. (2)
- 119 (multiparamet* adj2 evidence adj2 synthesis).mp. [mp=title, abstract, heading word, table of contents, key concepts, original title, tests & measures, mesh word] (8)
- 120 (multi-paramet* adj2 evidence adj2 synthesis).mp. [mp=title, abstract, heading word, table of contents, key concepts, original title, tests & measures, mesh word] (2)
- 121 or/98-120 (136384)
- 122 exp Treatment Guidelines/ (9552)
- 123 exp clinical pathway/ or exp clinical protocol/ (0)
- 124 clinical practice guideline.mp. (489)
- 125 clinical pathway.mp. (227)
- 126 clinical protocol.mp. (282)
- 127 exp consensus/ or exp consensus development conference/ or exp consensus development conferences as topic/ (0)
- 128 consensus.mp. (37012)
- 129 consensus development conference.mp. (130)
- 130 critical pathways/ (0)
- 131 critical pathways.mp. (421)
- 132 exp Clinical Practice/ or exp Treatment Guidelines/ (33191)
- 133 guideline*.mp. (85901)
- 134 guidelines as topic/ (0)
- 135 exp practice guideline/ (0)
- 136 practice guidelines as topic/ (0)
- 137 health planning guidelines/ (0)
- 138 exp treatment planning/ (9429)
- 139 Clinical Decision Rules/ (0)
- 140 (guideline or practice guideline or consensus development conference or consensus development conference, NIH).pt. (0)
- 141 (position statement* or policy statement* or practice parameter* or best practice*).mp. [mp=title, abstract, heading word, table of contents, key concepts, original title, tests & measures, mesh word] (23730)
- 142 (standards or guideline or guidelines).mp. [mp=title, abstract, heading word, table of contents, key concepts, original title, tests & measures, mesh word] (140915)
- 143 ((practice or treatment* or clinical) adj guideline*).ab. (9417)
- 144 (CPG or CPGs).ti. (143)
- 145 consensus*.mp. (37052)
- 146 consensus*.ab. /freq=2 (5975)
- 147 ((critical or clinical or practice) adj2 (path or paths or pathway or pathways or protocol*)).mp. (4057)
- 148 [recommenda*.ti,kf. or guideline recommendation*.ab.] (0)
- 149 (care adj2 (standard or path or paths or pathway or pathways or map or maps or plan or plans)).mp. [mp=title, abstract, heading word, table of contents, key concepts, original title, tests & measures, mesh word] (11048)
- 150 [(algorithm* adj2 (screening or examination or test or tested or testing or assessment* or diagnosis or diagnoses)] (0)
- 151 [(algorithm* adj2 (pharmacotherap* or chemotherap* or chemotreatment* or therap* or treatment* or intervention*))] (0)
- 152 (guideline* or standards or consensus* or recommenda*).au. (0)
- 153 (guideline* or standards or consensus* or recommenda*).co. (0)
- 154 (guideline* or standards or consensus* or recommenda*).ca. (303)
- 155 or/98-154 (350443)
- 156 97 or 121 or 155 (970989)
- 157 42 and 49 and 71 and 156 (1484)

Database: AMED (Allied and Complementary Medicine) <1985 to December 2023>

Search Strategy:

- 1 pain/ or abdominal pain/ or arthralgia/ or backache/ or facial pain/ or headache/ or musculoskeletal pain/ or neck pain/ or neuralgia/ or nociceptive pain/ or pain intractable/ (18826)
- 2 (chronic adj3 pain).mp. [mp=abstract, heading words, title] (5538)
- 3 osteo-arthritis.mp. (19)
- 4 degenerative arthrit*.mp. (53)
- 5 exp Arthritis rheumatoid/ or Arthritis, Rheumatoid.mp. (2297)
- 6 exp Osteoarthritis/ or osteoarthritis.mp. (4625)
- 7 exp Neuralgia/ or Neuralgia.mp. (474)
- 8 exp Diabetic neuropathies/ or Diabetic Neuropath\$.mp. (1187)
- 9 (IBS or irritable colon or irritable bowel).mp. [mp=abstract, heading words, title] (403)
- 10 exp Migraine/ or migraine.mp. (827)
- 11 exp Fibromyalgia/ or Fibromyalgia.mp. (2000)
- 12 exp complex regional pain syndromes/ or complex regional pain syndromes.mp. (75)
- 13 exp Pain intractable/ or Pain, Intractable.mp. (464)
- 14 exp Phantom limb/ or Phantom Limb.mp. (191)
- 15 Hyperalgesia/ or Hyperalgesia.mp. (307)
- 16 ((noncancer* or non-cancer* or chronic* or recurrent or persist* or non-malign*) adj3 pain).mp. (888)
- 17 or/1-16 (31137)
- 18 exp back pain/ or exp failed back surgery syndrome/ or exp low back pain/ (5273)
- 19 Radiculopathy/ or radiculopathy.mp. (334)
- 20 musculoskeletal pain/ or headache/ (1393)
- 21 exp Arthralgia/ (260)
- 22 exp Headache/ or headache.mp. (2119)
- 23 exp Temporomandibular joint syndrome/ or Temporomandibular Joint Dysfunction Syndrome.mp. (76)
- 24 ((TMJ or TMJD) and pain*).mp. (89)
- 25 exp Whiplash injuries/ or whiplash.mp. (651)
- 26 exp repetition strain injury/ or cumulative trauma disorder/ (335)
- 27 cumulative trauma disorder.mp. (28)
- 28 exp Peripheral nervous system disease/ or Peripheral Nervous System Diseases.mp. (4234)
- 29 (backache* or backpain* or dorsalg* or arthralgi* or polyarthralgi* or arthrodyni* or myalgi* or fibromyalgi* or myodyn* or neuralgi* or ischialgi* or crps or rachialgi*).ab,ti. (2759)
- 30 ((back or discogen* or bone or musculoskelet* or muscle* or skelet* or spinal or spine or vertebra* or joint* or arthritis or Intestin* or neuropath* or neck or cervical* or head or facial* or complex or radicular or cervicobrachi* or orofacial or somatic or shoulder* or knee* or hip or hips) adj3 pain).mp. (16120)
- 31 exp Pain measurement/ or Pain Measurement.mp. (2235)
- 32 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 (25614)
- 33 (acute or emergency or preoperative or postoperative).ti,ab. (17441)
- 34 32 not 33 (23523)
- 35 17 or 34 (40752)
- 36 exp analgesics opioid/ or opioid.mp. or exp Narcotics/ or exp Morphine/ (1696)
- 37 (opioid* or opiate*).mp. [mp=abstract, heading words, title] (1867)
- 38 (alfentanil or alphaprodine or beta-casomorphin\$ or buprenorphine or carfentanil or codeine or dextorphan or dextromethorphan or dezocine or dihydrocodeine or dihydromorphine or enkephalin\$ or ethylketocyclazocine or ethylmorphine or etorphine or fentanyl or heroin or hydrocodone or hydromorphone or ketobemidone or levorphanol or lofentanil or meperidine or meptazinol or methadone or methadyl acetate or morphine or nalbuphine or opium or oxycodone or oxymorphone or pentazocine or phenazocine or phenoperidine or piritramide or promedol propoxyphene or remifentanil or sufentanil or tilidine or tapentadol).mp. [mp=abstract, heading words, title] (1286)
- 39 narcotic\$.mp. (380)
- 40 (adolonta or Anpec or Ardinex or Asimadoline or Alvimopam or amadol or biodalgi or

biokanol or Codinovo or contramal or Demerol or Dicodid or Dihydrocodeinone or dihydromorphinone or dihydrohydroxycodone or dihydrone or dilaudid or dinarkon or dolsin or dolosal or dolin or dolantin or dolargan or dolcontral or duramorph or duromorph or duragesic or durogestic or eucodal or Fedotzine or Fentanest or Fentora or Fortral or Hycodan or Hycon or Hydrocodone or Hydrocodeinonebitartrate or hydromorphon or hydroxycodone or isocodeine or isonipecain or jutadol or laudacon or l dromoran or levodroman or levorphan or levo-dromoran or levodromoran or lexir or lidol or lydol or morfin or morfine or morphia or morphin or morphinium or morphinene or morphium or ms contin or n-methylmorphine or n methylmorphine or nobligan or numorphan or oramorph or oxycodone or oxiconum or oxycone or oxycontin or palladone or pancodine or pethidine or phentanyl or prontofort or robidone or skenan or sublimaze or sulfentanyl or sulfentanil or sufenta or takadol or talwin or theocodin or tramadol or tramadolhameIn or tramadol or tramadura or tramagetic or tramagetic or tramatge or tramake or tramal or tramex or tramundin or trasedal or theradol or tiral or topalgic or tradol or tradolpuren or tradonal or traIgiol or tramadorsch or tramadin or tramadoc or ultram or zamudol or zumalgic or zydol or zytram).mp. [mp=abstract, heading words, title] (140)

41 36 or 37 or 38 or 39 or 40 (2786)

42 exp substance related disorders/ (1716)

43 (opioid* adj4 disorder*).mp. [mp=abstract, heading words, title] (50)

44 (Opioid* adj3 Abuse).mp. [mp=abstract, heading words, title] (31)

45 (Opioid* adj3 Dependence).mp. [mp=abstract, heading words, title] (22)

46 (opioid* adj3 addiction).mp. [mp=abstract, heading words, title] (45)

47 Opioid-Related Disorders.mp. (26)

48 (problematic adj3 opioid).mp. [mp=abstract, heading words, title] (3)

49 exp Buprenorphine/ or buprenorphine.mp. (58)

50 exp Methadone/ or methadone.mp. (155)

51 (opioid adj5 OAT).mp. [mp=abstract, heading words, title] (2)

52 opioid agonist treatment.mp. (1)

53 opioid agonist therapy.mp. (1)

54 42 or 43 or 44 or 45 or 46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 (1909)

55 35 and 41 and 54 (203)

S77	S45 AND S53 AND S70 AND S76	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	814
S76	S71 OR S72 OR S73 OR S74 OR S75	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	2,166,589
S75	(TI "case series" OR AB "case series") OR ((TI case OR AB case) N3 ((TI report OR AB report) OR (TI reports OR AB reports) OR (TI study OR AB study) OR (TI studies OR AB studies) OR (TI histories OR AB histories))) OR MH ("case studies")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	301,687
S74	((TI cross OR AB cross) W1 (TI sectional OR AB sectional) N7 ((TI study OR AB study) OR (TI studies OR AB studies) OR (TI design OR AB design) OR (TI research OR AB research) OR (TI analysis OR AB analysis) OR (TI analyses OR AB analyses) OR (TI survey OR AB survey) OR (TI findings OR AB findings))) OR (((TI natural OR AB	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	228,636

natural) W1 (TI experiment OR AB experiment)) OR ((TI natural OR AB natural) W1 (TI experiments OR AB experiments))) OR ((TI quasi OR AB quasi) W1 ((TI experiment OR AB experiment) OR (TI experiments OR AB experiments) OR (TI experimental OR AB experimental))) OR (((TI "non experiment" OR AB "non experiment") OR (TI nonexperiment OR AB nonexperiment) OR (TI "non experimental" OR AB "non experimental") OR (TI nonexperimental OR AB nonexperimental))) N3 ((TI study OR AB study) OR (TI studies OR AB studies) OR (TI design OR AB design) OR (TI analysis OR AB analysis) OR (TI analyses OR AB analyses))) OR ((TI prevalence OR AB prevalence) N3 ((TI study OR AB study) OR (TI studies OR AB studies) OR (TI analysis OR AB analysis) OR (TI analyses OR AB analyses)))

S73

MH "Nonexperimental Studies+") OR (MH "Correlational Studies") OR (MH "Control Group") OR (MH "Matched-Pair Analysis") OR ((TI observational OR AB

Expanders - Apply equivalent subjects
Search modes - Boolean/Phrase

Interface - EBSCOhost Research Databases
Search Screen - Advanced Search Database - CINAHL Plus with Full Text

1,399,629

observational) N3 ((TI study OR AB study) OR (TI studies OR AB studies) OR (TI design OR AB design) OR (TI analysis OR AB analysis) OR (TI analyses OR AB analyses))) OR (TI cohort* OR AB cohort*) OR ((TI prospective OR AB prospective) N7 ((TI study OR AB study) OR (TI studies OR AB studies) OR (TI design OR AB design) OR (TI analysis OR AB analysis) OR (TI analyses OR AB analyses))) OR (((TI "follow up" OR AB "follow up") OR (TI followup OR AB followup)) N7 ((TI study OR AB study) OR (TI studies OR AB studies) OR (TI design OR AB design) OR (TI analysis OR AB analysis) OR (TI analyses OR AB analyses))) OR (((TI longitudinal OR AB longitudinal) OR (TI longterm OR AB longterm) OR ((TI long OR AB long) W1 (TI term OR AB term))) N7 ((TI study OR AB study) OR (TI studies OR AB studies) OR (TI design OR AB design) OR (TI analysis OR AB analysis) OR (TI analyses OR AB analyses) OR (TI data OR AB data))) OR ((TI retrospective OR AB retrospective) N7 ((TI study OR AB study) OR (TI studies OR AB studies) OR (TI design OR AB design) OR (TI

analysis OR AB analysis) OR (TI
analyses OR AB analyses) OR (TI
data OR AB data) OR (TI review
OR AB review))) OR (((TI case OR
AB case) W1 (TI control OR AB
control)) OR ((TI case OR AB case)
W1 (TI comparison OR AB
comparison)) OR ((TI case OR AB
case) W1 (TI controlled OR AB
controlled))) OR ((TI case-referent
OR AB case-referent) N3 ((TI study
OR AB study) OR (TI studies OR
AB studies) OR (TI design OR AB
design) OR (TI analysis OR AB
analysis) OR (TI analyses OR AB
analyses))) OR ((TI population OR
AB population) N3 ((TI study OR
AB study) OR (TI studies OR AB
studies) OR (TI analysis OR AB
analysis) OR (TI analyses OR AB
analyses))) OR ((TI descriptive OR
AB descriptive) N3 ((TI study OR
AB study) OR (TI studies OR AB
studies) OR (TI design OR AB
design) OR (TI analysis OR AB
analysis) OR (TI analyses OR AB
analyses))) OR (((TI
multidimensional OR AB
multidimensional) OR ((TI multi OR
AB multi) W1 (TI dimensional OR
AB dimensional))) N3 ((TI study OR
AB study) OR (TI studies OR AB
studies) OR (TI design OR AB

	design) OR (TI analysis OR AB analysis) OR (TI analyses OR AB analyses)))			
S72	MH Critical Path or MH Practice Guidelines or PT (practice guidelines or standards or protocol or critical path or care plan) or TI ("position statement*" or "policy statement*" or "practice parameter*" or "best practice*") OR AB ("position statement*" or "policy statement*" or "practice parameter*" or "best practice*") or TI (standards or guideline or guidelines) or AB (practice N1 guideline* or treatment* N1 guideline*) or TI (CPG or CPGs) or TI consensus* or AB consensus* or AU (guideline* or standards or consensus* or recommendat*) or CA (guideline* or standards or consensus* or recommendat*) or TI (critical N2 path or critical N2 paths or critical N2 pathway or critical N2 pathways or critical N2 protocol* or clinical N2 path or clinical N2 paths or clinical N2 pathway or clinical N2 pathways or clinical N2 protocol* or practice N2 path or practice N2 paths or practice N2 pathway or practice N2 pathways or practice N2	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	362,713

protocol*) or AB (critical N2 path or critical N2 paths or critical N2 pathway or critical N2 pathways or critical N2 protocol* or clinical N2 path or clinical N2 paths or clinical N2 pathway or clinical N2 pathways or clinical N2 protocol* or practice N2 path or practice N2 paths or practice N2 pathway or practice N2 pathways or practice N2 protocol*) or TI recommendat* or TI (care N2 path or care N2 paths or care N2 pathway or care N2 pathways or care N2 map or care N2 maps or care N2 plan or care N2 plans or care N2 standard*) or AB (care N2 path or care N2 paths or care N2 pathway or care N2 pathways or care N2 map or care N2 maps or care N2 plan or care N2 plans or care N2 standard*) or TI (algorithm* AND (screening or examination or test or tested or testing or assessment* or diagnosis or diagnoses or diagnosed or diagnosing)) or AB (algorithm* AND (screening or examination or test or tested or testing or assessment* or diagnosis or diagnoses or diagnosed or diagnosing)) or (PT algorithm* AND TI (screening or examination or test or tested or

testing or assessment* or
 diagnosis or diagnoses or
 diagnosed or diagnosing)) or (PT
 algorithm* AND AB (screening or
 examination or test or tested or
 testing or assessment* or
 diagnosis or diagnoses or
 diagnosed or diagnosing)) or TI
 (algorithm* AND (pharmacotherap*
 or chemotherap* or
 chemotreatment* or therap* or
 treatment* or intervention*)) OR AB
 (algorithm* AND (pharmacotherap*
 or chemotherap* or
 chemotreatment* or therap* or
 treatment* or intervention*)) or (PT
 algorithm AND TI
 (pharmacotherap* or
 chemotherap* or chemotreatment*
 or therap* or treatment* or
 intervention*)) or (PT algorithm
 AND AB (pharmacotherap* or
 chemotherap* or chemotreatment*
 or therap* or treatment* or
 intervention*))

S71

MH "meta analysis" OR MH
 "systematic review" OR MH
 "Technology, Medical/EV" OR PT
 "systematic review" OR PT "meta
 analysis" OR (((TI systematic* OR
 AB systematic*) N3 ((TI review* OR
 AB review*) OR (TI overview* OR

Expanders - Apply equivalent
 subjects
 Search modes - Boolean/Phrase

Interface - EBSCOhost Research
 Databases
 Search Screen - Advanced Search
 Database - CINAHL Plus with Full
 Text

311,960

AB overview*)) OR ((TI
methodologic* OR AB
methodologic*) N3 ((TI review* OR
AB review*) OR (TI overview* OR
AB overview*)) OR (((TI
quantitative OR AB quantitative)
N3 ((TI review* OR AB review*) OR
(TI overview* OR AB overview*) OR
(TI synthes* OR AB synthes*)) OR
((TI research OR AB research) N3
((TI integrati* OR AB integrati*) OR
(TI overview* OR AB overview*))
OR (((TI integrative OR AB
integrative) N3 ((TI review* OR AB
review*) OR (TI overview* OR AB
overview*)) OR ((TI collaborative
OR AB collaborative) N3 ((TI
review* OR AB review*) OR (TI
overview* OR AB overview*)) OR
((TI pool* OR AB pool*) N3 (TI
analy* OR AB analy*)) OR ((TI
"data synthes*" OR AB "data
synthes*") OR (TI "data
extraction*" OR AB "data
extraction*") OR (TI "data
abstraction*" OR AB "data
abstraction*")) OR ((TI handsearch*
OR AB handsearch*) OR (TI "hand
search*" OR AB "hand search*"))
OR ((TI "mantel haenszel" OR AB
"mantel haenszel") OR (TI peto OR
AB peto) OR (TI "der simonian" OR
AB "der simonian") OR (TI

dersimonian OR AB dersimonian)
OR (TI "fixed effect*" OR AB "fixed
effect*") OR (TI "latin square*" OR
AB "latin square*")) OR ((TI "met
analy*" OR AB "met analy*") OR (TI
metanaly* OR AB metanaly*)) OR
(TI "technology assessment*" OR
AB "technology assessment*") OR
(TI HTA OR AB HTA) OR (TI HTAs
OR AB HTAs) OR (TI "technology
overview*" OR AB "technology
overview*") OR (TI "technology
appraisal*" OR AB "technology
appraisal*")) OR ((TI "meta
regression*" OR AB "meta
regression*") OR (TI
metaregression* OR AB
metaregression*)) OR (MW meta-
analy* OR MW metaanaly* OR MW
"systematic review*" OR MW
"biomedical technology
assessment*" OR MW "bio-
medical technology assessment*")
OR ((TI medline OR AB medline OR
MW medline) OR (TI cochrane OR
AB cochrane OR MW cochrane)
OR (TI pubmed OR AB pubmed
OR MW pubmed) OR (TI medlars
OR AB medlars OR MW medlars)
OR (TI embase OR AB embase OR
MW embase) OR (TI cinahl OR AB
cinahl OR MW cinahl)) OR (SO
Cochrane OR SO health

technology assessment OR SO
evidence report) OR (TI
comparative OR AB comparative)
N3 ((TI efficacy OR AB efficacy) OR
(TI effectiveness OR AB
effectiveness))) OR ((TI "outcomes
research" OR AB "outcomes
research") OR (TI "relative
effectiveness" OR AB "relative
effectiveness")) OR (((TI indirect OR
AB indirect) OR (TI "indirect
treatment" OR AB "indirect
treatment")) OR (TI mixed-
treatment OR AB mixed-treatment)
OR (TI bayesian OR AB bayesian))
N3 (TI comparison* OR AB
comparison*) OR ((TI multi* OR AB
multi*) N3 (TI treatment OR AB
treatment) N3 (TI comparison* OR
AB comparison*)) OR ((TI mixed
OR AB mixed) N3 (TI treatment OR
AB treatment) N3 (TI meta-analy*
OR AB meta-analy*) OR (TI
metaanaly* OR AB metaanaly*))
OR (TI "umbrella review*" OR AB
"umbrella review*") OR ((TI multi*
OR AB multi*) N2 (TI paramet* OR
AB paramet*) N2 (TI evidence OR
AB evidence) N2 (TI synthesis OR
AB synthesis)) OR ((TI
multiparamet* OR AB
multiparamet*) N2 (TI evidence OR
AB evidence) N2 (TI synthesis OR

	AB synthesis)) OR ((TI multi paramet* OR AB multi-paramet*) N2 (TI evidence OR AB evidence) N2 (TI synthesis OR AB synthesis))			
S70	S68 AND S69	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	35,699
S69	Opioid* or opiate* or narcotic* or analges* or prescription*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	178,082
S68	(S54 OR S55 OR S56 OR S57 OR S58 OR S59 OR S60 OR S61 OR S62 OR S63 OR S64 OR S65 OR S66 OR S67)	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	290,801
S67	(MH "Suicide+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	38,421
S66	(MH "Death+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	62,903

S65	(MH "Accidents") OR (MH "Accidental Falls") OR (MH "Accidents, Home") OR (MH "Accidents, Traffic")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	47,403
S64	(MH "Adverse Drug Event+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	34,800
S63	(MH "Poisoning")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	4,500
S62	(MH "Substance Withdrawal Syndrome")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	4,256
S61	(MH "Behavior, Addictive")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	7,242
S60	(MH "Substance Abuse Detection")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search	Display

			Database - CINAHL Plus with Full Text	
S59	(MH "Drug and Narcotic Control")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	Display
S58	(MH "Drug Toxicity")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	Display
S57	(MH "Overdose")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	Display
S56	(MH "Substance Use Disorders")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	Display
S55	(MH "Substance Dependence")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	Display

S54	(MH "Substance Abuse")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	Display
S53	S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	Display
S52	adolonta or Anpec or Ardinex or Asimadoline or Alvimopam or amadol or biodalgic or biokanol or Codinovo or contramal or Demerol or Dicodid or Dihydrocodeinone or dihydromorphinone or dihydrohydroxycodeinone or dihydrone or dilaudid or dinarkon or dolsin or dolosal or dolin or dolantin or dolargan or dolcontral or duramorph or duromorph or duragesic or durogesic or eucodal or Fedotzine or Fentanest or Fentora or Fortral or Hycodan or Hycon or Hydrocodone or Hydrocodeinonebitartrate or hydromorphon or hydroxycodeinon or isocodeine or isonipeccain or jutadol or laudacon or l dromoran or levodroman or levorphan or levo-dromoran or levodromoran or lexir or lidol or	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text	Display

lydol or morfin or morfine or
 morphia or morphin or morphinium
 or morphinene or morphium or ms
 contin or n-methylmorphine or n
 methylmorphine or nobligan or
 numorphan or oramorph or
 oxycodeinon or oxiconum or
 oxycone or oxycontin or palladone
 or pancodine or pethidine or
 phentanyl or prontosfort or
 robidone or skenan or sublimaze
 or sulfentanyl or sulfentanil or
 sufenta or takadol or talwin or
 theocodin or tramadol or
 tramadolhameln or tramadolor or
 tramadura or tramagetic or
 tramagit or tramake or tramal or
 tramex or tramundin or trasedal or
 theradol or tiral or topalgic or
 tradol or tradolpuren or tradonal or
 tralgiol or tramadorsch or tramadin
 or tramadoc or ultram or zamudol
 or zumalgic or zydol or zytram

S51

alfentanil or alphaprodine or beta-
 casomorphin\$ or buprenorphine or
 carfentanil or codeine or deltorphin
 or dextromethorphan or dezocine
 or dihydrocodeine or
 dihydromorphine or enkephalin\$ or
 ethylketocyclazocine or
 ethylmorphine or etorphine or
 fentanyl or heroin or hydrocodone

Expanders - Apply equivalent
 subjects
 Search modes - Boolean/Phrase

Interface - EBSCOhost Research
 Databases
 Search Screen - Advanced Search
 Database - CINAHL Plus with Full
 Text

Display

	<p>or hydromorphone or ketobemidone or levorphanol or lofentanil or meperidine or meptazinol or methadone or methadyl acetate or morphine or nalbuphine or opium or oxycodone or oxymorphone or pentazocine or phenazocine or phenoperidine or pirlinitramide or promedol or propoxyphene or remifentanil or sufentanil or tilidine or tapentadol</p>			
S50	narcotic*	<p>Expanders - Apply equivalent subjects Search modes - Boolean/Phrase</p>	<p>Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text</p>	Display
S49	(MH "Narcotics+")	<p>Expanders - Apply equivalent subjects Search modes - Boolean/Phrase</p>	<p>Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text</p>	Display
S48	opiate*	<p>Expanders - Apply equivalent subjects Search modes - Boolean/Phrase</p>	<p>Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Plus with Full Text</p>	Display
S47	opioid*	<p>Expanders - Apply equivalent subjects Search modes - Boolean/Phrase</p>	<p>Interface - EBSCOhost Research Databases Search Screen - Advanced Search</p>	Display

			Database - CINAHL Plus with Full Text	
S46	(MH "Analgesics, Opioid+")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S45	S24 OR S44	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S44	S38 NOT S43	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S43	S39 OR S40 OR S41 OR S42	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S42	"postoperative"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S41	"preoperative"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S40	"emergency"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases	Display

			Search Screen - Advanced Search Database - CINAHL	
S39	"acute"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S38	S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S37	"((back or discogen* or bone or musculoskelet* or muscle* or skelet* or spinal or spine or vertebra* or joint* or arthritis or Intestin* or neuropath* or neck or cervical* or head or facial* or complex or radicular or cervicobrach* or orofacial or somatic or shoulder* or knee* or hip or hips) N3 pain)"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S36	"backache* or backpain* or dorsalgi* or arthralgi* or polyarthralgi* or arthrodyni* or myalgi* or fibromyalgi* or myodyn* or neuralgi* or ischialgi* or crps or rachialgi*"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S35	(MH "Peripheral Nervous System+/DE")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases	Display

			Search Screen - Advanced Search Database - CINAHL	
S34	(MH "Cumulative Trauma Disorders+")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S33	(MH "Whiplash Injuries") OR "whiplash"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S32	"((TMJ or TMJD) and pain*)"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S31	(MH "Temporomandibular Joint Syndrome")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S30	""headache*""	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S29	(MH "Headache")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S28	(MH "Arthralgia+")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases	Display

			Search Screen - Advanced Search Database - CINAHL	
S27	""musculoskeletal pain""	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S26	(MH "Radiculopathy") OR "radiculopathy"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S25	(MH "Back Pain+")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S24	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S23	"((noncancer* or non-cancer* or chronic* or recurrent or persist* or non-malign*) N3 pain)"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S22	(MH "Hyperalgesia")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display

S21	(MH "Phantom Limb") OR (MH "Phantom Pain")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S20	""intractable pain""	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S19	""causalgia""	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S18	(MH "Complex Regional Pain Syndromes+")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S17	""fibromyalg*""	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S16	(MH "Fibromyalgia")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S15	""migraine""	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display

S14	(MH "Migraine")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S13	""IBS""	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S12	"(irritable (bowel or colon))"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S11	(MH "Irritable Bowel Syndrome")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S10	""zoster""	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S9	""neuralg*""	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S8	"(neuropath*N5 (pain* or diabet*))"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display

S7	(MH "Diabetic Neuropathies")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S6	(MH "Neuralgia+")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S5	(MH "Arthritis, Rheumatoid+")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S4	osteoarthritis* OR osteo-arthritis OR degenerative arthrit*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S3	(MH "Osteoarthritis+")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S2	"chronic N4 pain"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display
S1	(MH "Chronic Pain")	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	Display

